



Disentangling the carbon emissions impact of digital consumer innovations

Hazel Pettifor^{a,*}, Maureen Agnew^{a,c}, Charlie Wilson^{a,b}, Leila Niamir^b

^a Environmental Change Institute, Oxford University, UK

^b International Institute for Applied Systems Analysis (IIASA), Laxenburg, Vienna, UK

^c Geography and Environment, Loughborough University, UK

ARTICLE INFO

Handling Editor: Zhifu Mi

Keywords:

Impact mechanism
Consumer actions
Digital infrastructure
Rebound effects
Energy use
Emissions

ABSTRACT

Digital consumer innovations provide functionality to consumers through different impact mechanisms. These act indirectly on carbon emissions by shaping behaviour. Outcomes include energy/emissions mitigation or, growth through rebound effects, where energy savings are offset by increasing demand for energy.

In this study we use meta-regression techniques to quantify the relative strength of different impact mechanisms on emissions for a diverse set of digital innovations. We use data from two key synthesis studies, providing 135 estimates of impact across 22 different digital consumer innovations. We measure impacts using different metrics including activity, energy use, or carbon emissions (CO₂/CO₂ eq). We refer to these as “emissions-related outcomes”.

We find strong evidence that impact mechanisms explain differences in emissions-related outcomes between digital consumer innovations. Digital consumer innovations that influence behaviour by technology ‘substitution’ e.g., food gamification apps, have a significantly larger impact (44% reduction) than those that ‘coordinate’ e.g., food pairing apps (17% reduction) or those that improve ‘control’ e.g., smart home appliances (20% reduction).

Estimates of impact included in energy studies are highly sensitive to boundary decisions and assumptions made by researchers, introducing further uncertainties into their magnitude and direction. When we control for variation in study design such as whether emissions-related outcomes data were collected using field experiments, or simulations we find that differences between impact mechanisms are amplified. A further key finding is that impact mechanisms explain more of the difference between-innovations than deployment context.

Our novel approach of classifying innovations by the underlying causal mechanism through which they change user behaviour and so energy emissions adds a new dimension to methodological work on indirect impacts for which system boundary and variable definition are not fixed. Identifying causal mechanisms with the largest benefits for emissions reduction also guides policy, innovators, service providers, and digital users concerned with carbon footprint.

1. Introduction

Digital consumer innovations (DCIs) are novel goods or services available to consumers. They are digital or digitally enabled, accessed or controlled through smartphones or other information communication technologies. They offer alternatives to mainstream consumption practices. Their use can help reduce carbon emissions in line with the Paris Agreement on climate change (Creutzig et al., 2022a; International Telecommunication Union, 2020).

The impact of digitalisation on energy and emissions is direct, indirect and systemic (Horner et al., 2016). Direct impacts include the

energy and emissions footprint in the production, operation and disposal of information communications technologies, including devices, and supporting infrastructure (information communication networks, and data centres). The direct impacts of digitalisation are estimated in the range of 1.5–4% of global greenhouse gas (GHG) emissions (Freitag et al., 2021; Bieser et al., 2023). Indirect impacts relate to changes in processes, systems and user behaviour, are more uncertain and vary widely across DCIs. Systemic impacts relate to economic activity more generally (e.g., jobs, skills), society and governance systems and are even more uncertain as impact pathways are diffuse (Creutzig et al., 2023). Hilty, Köhler (Hilty et al., 2006) describe an alternative

* Corresponding author.

E-mail address: hazel.pettifor@eci.ox.ac.uk (H. Pettifor).

<https://doi.org/10.1016/j.jclepro.2024.144412>

Received 5 July 2024; Received in revised form 24 October 2024; Accepted 4 December 2024

Available online 5 December 2024

0959-6526/© 2024 The Authors. Published by Elsevier Ltd. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

taxonomy distinguishing the ordering of these effects from 1st-order (direct), 2nd-order (indirect - user) and 3rd-order (indirect - society wide).

Impact mechanisms characterise the underlying processes through which DCIs can help reduce energy use and emissions (Horner et al., 2016; Court et al., 2020; Gawron et al., 2018; Rattle, 2010; Taiebat et al., 2018). They describe the behaviour-driven application of DCIs, emphasising the user-function that technical improvements provide. They link specific DCIs to potential emissions reduction benefits that result from changes in how energy services are provided or consumed (Wilson et al., 2019). They are described in the literature as ‘higher order’ (second order, or indirect) effects that result from the services that information communications technology provide to users (Pohl et al., 2019; Wilson et al., 2020).

Understanding the mechanisms through which digitalisation impacts energy helps guide innovation activity towards functionality linked to energy savings, and emphasises the need to tackle rebound outcomes for certain types of DCI.

On the one hand, DCIs help optimise, control, substitute, and coordinate the efficiency with which energy is used for a wide range of activities. But on the other hand, by saving time, and reducing the cost, and friction of these activities, digitalisation can lead to growth in demand – the ‘rebound’ or induced demand effect. This basic trade-off between efficiency and growth determines the net indirect impact of digitalisation on energy use and GHG emissions (Lange et al., 2020; Briglauer et al., 2023).

In this study we build on existing typologies (Horner et al., 2016; Rattle, 2010; Berkhout et al., 2004) to characterise six impact mechanisms through which DCIs can help reduce energy use and emissions (see Table 1).

The ‘access’ mechanism enables opportunity for using services with high utilisation rates of physical technologies or assets. Mobility services such as car clubs or Mobility-as-a-Service (MaaS), for example, present alternatives to owning or using single-occupancy private cars. Radical societal shifts such as a widespread adoption of electrified modes of transportation or shared mobility services as alternatives to car ownership has high potential for energy use reduction (Perdana et al., 2023; Sorrell, 2020). Replacement of incumbent technologies or activities with digital applications takes a shorter lead time than the creation of completely new systems (Grübler et al., 1999).

Coordinate’ and ‘optimise’ are system orientated mechanisms that rationalise the use of energy resulting in increased efficiency or reduced waste (Horner et al., 2016). DCIs using a ‘coordinate’ mechanism, facilitate the exchange of goods and services e.g., ridesharing, ride

hailing, and peer-to-peer exchange of goods matching real-time demand with available resources. They are heavily dependent on accessible digital infrastructure (including networks, platforms, and applications). The digital platform is a way for highly distributed and granular (small-scale) distributed surplus supply e.g., a spare seat in a car, a spare meal from a restaurant, an unused kitchen appliance or book to be ‘matched’ with demand spatially and in close to real-time. ‘Optimise’ defines how a system operates to enhance performance, increase efficiency and curb energy needs (Horner et al., 2016; Pohl et al., 2019). Fully connected and automated vehicles enhance travel convenience, dynamically optimise routes, and reduce journey times when linked to other information communications technologies (Horner et al., 2016; Gawron et al., 2018; Taiebat et al., 2018). Smart charging/discharging optimisation (e.g., in shared fleets of AVs) is made possible through sensors and software that are responsive to real-time electricity network information (Iacobucci et al., 2021).

Substitute’ is the replacement of conventional goods and services with digital goods and services e.g., digital hubs for local food displace large-scale food production and retail distribution with food delivered directly to consumers from multiple local producers. Digital platforms match users with providers. ‘Virtualise’ involves the complete/partial digitalisation of existing goods or services by facilitating physical-to-physical replacement (e.g., substitution of goods of higher for lower carbon intensity) or physical-to-digital replacement of goods for services (e.g., videoconferences deploying virtualisation instead of physical interaction).

‘Control’ is a user-oriented mechanism that enables greater energy efficiency e.g., in residential buildings, through smart heating systems, smart lighting, or home energy management systems (HEMS). These DCIs ‘control’ or manage how energy is used to provide a service in residential settings. For example, smart heating can be user-controlled to provide thermal comfort only in occupied rooms. We use a simple definition of efficiency that relates to the minimum input of resources to meet user’s needs - providing sufficiency with less. Expanded definitions consider interactions between social, economic, and environmental factors (Li et al., 2022).

The relative influence of different impact mechanisms across DCIs has not been well established in literature. By framing and measuring the relative strength of these six mechanisms across a diverse sample of DCIs we contribute both to the methodological strengthening of research focussed on indirect impacts and the substantiation of impact mechanisms as underlying causal instruments of change in demand-based carbon emissions.

Many studies have estimated the impact of DCIs on activity, energy consumption, or greenhouse gas (GHG) emissions. We refer to these different metrics as “emissions-related outcomes”. Differences in measures and outcomes between these studies brings uncertainties in the assessment of DCIs impact (Horner et al., 2016; Wilson et al., 2020). Although synthesis studies characterise these uncertainties across different innovations, they do not explain them. Horner, Shehabi (Horner et al., 2016) collectively refer to these as ‘known unknowns’. In this study we are concerned with disentangling these uncertainties by characterising and measuring the impact of mechanisms not previously observed. We focus on 22 different DCIs which have all been introduced into the market within the last 10 years and/or have a least 15% market share. For these DCIs there is also clear, empirical evidence of potential emissions-reduction benefit (see Table 2).

1.1. Deployment context

Deployment context describes characteristic differences, not inherent to the DCI itself but likely to have a confounding influence on the strength of different impact mechanisms e.g., policy, infrastructure, markets (Horner et al., 2016). We identify and quantify four of these for comparison purposes: domain of application, type of action, dependence on digital accessibility and skills, and dependence on physical

Table 1
Taxonomy of impact mechanisms used in this study.

Mechanism	Definition	Examples
Access	Access a service instead of owning a good	Ride sharing matches drivers with riders, verifying trustworthiness
Coordinate	Coordinate real-time demand with available supply	Mobility-as-a-Service incorporates up-to-date booking and payment for services
Optimise	Optimise how a system functions to reduce its energy needs	Autonomous Vehicles incorporate smart charging schedules responsive to electricity network information
Substitute	Substitute with a less energy-intensive technology or form of service provision	Digital hubs connect users with local sources of food
Virtualisation	Virtualise from physical-to-digital forms of service provision	Videoconferencing & virtual interaction replace physical travel.
Control	Control or manage how a user-service is provided, including for resource efficiency	Smart lighting (including motion sensors) adaptively responds to external conditions and users’ needs

Table 2

Definitions for Selected DCIs included in this study.

Domain of Application	DCI	Description	General digital infrastructure requirements
Transport	Car clubs (car-sharing in US)	A membership-based service offering short-term rental of vehicles e. g., Zipcar	Platform for booking & locating available vehicles
	Ride-sharing (carpooling in US, lift sharing in UK)	Networks connecting passengers and drivers for shared car journeys or commutes e.g., Liftshare	Platform for matching drivers with riders & verifying trustworthiness
	Shared taxis (shared ride hailing, taxi-buses)	Cars or minivans with multiple passengers on similar schedules, booked at short notice via apps e.g., UberPool	Platform for real-time scheduling of passengers via app
	Mobility-as-a-Service (MaaS)	App-based integrated scheduling, booking, and payment platform for multimodal mobility services e. g., Whim	Platform for multi-modal integrated scheduling, booking & payment
	E-bikes ^a	Bicycles with an electric motor and battery for pedal assistance up to limited speeds e.g., Gocycle G3	Control app, charging schedule, pricing & payment schedule
	Fully autonomous vehicles	Vehicles that can be autonomously driven without active human intervention e.g., Waymo	Operating system - sensors, information storage & communications, control software
	Neighbourhood Electric Vehicles (NEVs) ^a	Light-weight, low-speed, battery-driven vehicles allowed on roads e. g., Waev	Control app - charging scheduling, pricing & payment
	Bike-sharing	Fleets of bicycles available for short-term rental from fixed points (docked) or free-floating (dockless), e.g., Mobike.	Platform - match users with available resources & locations (pricing & payment)
	Telecommuting	Remote working enabled by information and communication technology (ICT) e. g., Slack.	ICT-enabled home working, communications software
	Videoconferencing and virtual meetings	Virtual interactions between people in different physical locations, enabled by ICTs e.g., Cisco TelePresence.	Communications software, display monitor, microphone, camera, internet
	Digital hubs for local food	Buy food for delivery directly from multiple local producers e.g., Open Food Network	Platform - match users with providers (pricing & payment)
	Meal kits (or meal boxes)	Home deliveries of fresh produce pre-portioned for	App-based ordering, scheduling systems

Table 2 (continued)

Domain of Application	DCI	Description	General digital infrastructure requirements
Homes	11th hour apps	cooking specific recipes e.g., Hello Fresh	App-based, real-time sourcing of surplus food from multiple providers
		Food outlets advertise surplus fresh food at reduced prices e.g., Too Good to Go	
		Design food recipes using surplus ingredients e.g., Plant Jammer	
	Food pairing apps	Elements of gameplay used to support efforts to reduce food waste or meat consumption e.g., Quit Meat	Platform for matching surplus home ingredients to recipes Info app & algorithm
		Monitoring, automation, adaptive learning, and control (via app) of heating e. g., Nest	
	Food gamification apps (e.g., for waste reduction)	Customisation and control (via app) of lighting e.g., Philips Hue	Internet-connectivity supporting adaptive learning on heating preferences
	Smart heating systems	Monitoring, control, and management system for multiple home functions including heating, cooling, lighting, appliances, and solar photovoltaics (PV) e.g., GreenWave Reality	App-based control, scheduling of lighting
	Smart lighting	Heating (or cooling) technologies that extract available heat from the air or ground to thermally condition homes e. g., Worcester Bosch	Management system: software, sensors, info storage & communications
	Home energy management systems (HEMS)	Custom-fitted high-performance building shells combined with solar PV and heat pump units fabricated off-site and retrofitted externally e.g., Energiesprong	Demand responsive heating or cooling system
	Heat pumps ^a	Networks of individuals for exchanging products, tools, and other material items, e.g., SnapGoods	Digital scanning, 3D printing and 3D design modelling in off-site fabrication
	Pre-fabricated whole home retrofits ^a	Activity- or appliance-level electricity or gas consumption data available to households e.g., Neurio	App/network to match users with providers
	P2P (peer-to-peer) exchange of goods		Information app and algorithm

^a E-bikes are included as digital innovations as they can include apps for charging, scheduling, sharing, pricing & payment. NEVs can be controlled using a digital signal processor. The NEV market is undergoing a rapid digital transformation, the adoption of digital technologies such as artificial intelligence (AI), internet of things (IoT), and blockchain are further enhancing operational efficiency. Heat pumps are included as digital as they can be used in flexible scheduling mode in response to price signals from electricity networks. Pre-fab retrofits incorporate digitalisation through scanning, 3D printing, and 3D design modelling techniques used in off-site fabrication processes.

infrastructure. In Table 3 we further characterise each DCI in terms of the impact mechanism through which they influence emissions-related-outcomes, and their corresponding deployment context.

Domain of application characterises the settings that influence consumption behaviour. It is defined as a classification of provision by site of practice or use (Butler et al., 2020). DCIs tend to be grouped within three domains: transport, food, and homes (household energy) (Aall et al., 2010; Creutzig et al., 2018; Moberg et al., 2019; Ivanova et al., 2020). In general there is a lack of comparative research into the influence of different domains on the impact of DCIs, with transport historically prioritised in studies (Perdana et al., 2023; Creutzig et al., 2015).

Type of action is captured in the Avoid-Shift-Improve (A-S-I) framework. This is an established framework used by the transportation research community but increasingly being applied in other research fields (Creutzig et al., 2015, 2018, 2022b). It describes three distinct actions associated with the use and ownership of a DCI. 'Avoid' relates to consuming less of a good or service, e.g., telecommuting avoids work-related travel by working partially or entirely at home or locations close to home. 'Shift' relates to consuming more resource-efficient forms of good or service, e.g., Maas replaces single occupancy vehicle journeys with multimodal shared mobility. 'Improve' relates to a technological shift which upgrades the resource efficiency of an existing good or service, e.g., smart heating systems improve efficiency for heating, ventilation, air conditioning, cooking and electrical appliances.

DCIs variously depend on availability and access to Information Communications Technology (ICT) infrastructure and services (e.g.,

digital platforms, networks, and connectivity). DCIs offer services via physical goods and infrastructure, necessitating an additional layer of dependence. DCIs that incorporate deeper digitalisation mechanisms have the potential for greater savings in emissions (Thacker et al., 2019). However, DCIs requiring high levels of digital skills may be less accessible so limiting the impact of their use (Zhang et al., 2021). Many DCIs also rely on dedicated physical infrastructure in order to provide a useful service, such as docking stations for bike sharing, and building energy infrastructure (PV panels, batteries, grid connection) in the case of Home Energy Management Systems (HEMS) (Gnann et al., 2018; Jones et al., 2019; Sochor et al., 2016). As digital technology continues to develop, there are additional requirements for new infrastructure and reconfiguration of existing infrastructure (Gnann et al., 2018). Van der Vooren (Van der and Vooren, 2014) emphasises the relevance of this transition in transport systems. In this study we distinguish two types of structural dependency (digital and physical).

Digital skills and accessibility enable impact mechanisms to influence emissions-related outcomes. They relate to user skills and competencies required to interact with digital infrastructure and supporting services such as digital platforms, applications, and software (Bygstad et al., 2019; Hanseth et al., 2010). Individualised services rather than goods form an increasing share of consumption met through widespread digitalisation and service automation that require access and capabilities e.g., booking a shared taxi via a smart phone application (Hustad et al., 2021; Sørensen and Higashikuni, 2013). Digitally-enabled services may rely on physical infrastructures such as transportation networks. The extent of this dependence enables or constrains the potential of different digital impact mechanisms (e.g., access to shared car fleets depends on availability of dedicated parking spaces). The interplay between digital capabilities and physical infrastructure has strategic relevance for providers and users (Joglekar et al., 2022). Within these two types of structural dependency we further define different levels of dependency (see Appendix A Table A1. Structural dependencies influencing the effectiveness of impact mechanisms).

1.2. Controlling influences on emissions-related outcomes

The field of impact estimation is concerned with study design

Table 3
Mapping of DCIs across influences on emissions-related outcomes.

Digital consumer innovation	Impact mechanism	Deployment Context			
		Domain of application	Type of action	Dependence on digital accessibility and skills	Dependence on physical infrastructure
Car clubs (car-sharing in US)	Access	Transport	Shift	High	Low
Ride-sharing (carpooling in US, lift sharing in UK)	Coordinate		Shift	Medium	Low
Shared taxis (shared ride hailing, taxi-buses)	Coordinate		Shift	High	Low
Mobility-as-a-Service (Maas)	Access		Shift	High	Medium
E-bikes	Substitute		Shift	Low	Low
Fully autonomous vehicles	Optimise	Food	Improve	High	High
Neighbourhood Electric Vehicles (NEVs)	Substitute		Improve	Low	Medium
Bike-sharing	Access		Shift	High	Medium
Telecommuting	Virtualise		Avoid	High	Low
Videoconferencing and virtual meetings	Virtualise		Avoid	High	Low
Digital hubs for local food	Substitute		Shift	High	Medium
Meal kits (or meal boxes)	Coordinate		Shift	High	Medium
11th hour apps	Coordinate		Avoid	High	Low
Food pairing apps	Coordinate		Avoid	Medium	Low
Food gamification apps (e.g., for waste reduction)	Substitute		Avoid	Medium	Low
Smart heating systems	Control	Homes	Improve	High	High
Smart lighting	Control		Improve	Medium	High
Home energy management systems	Control		Improve	High	Medium
Heat pumps	Control		Improve	Low	High
Pre-fabricated whole home retrofits	Substitute		Improve	Medium	High
P2P (peer-to-peer) exchange of goods	Coordinate		Avoid	Medium	Low
Disaggregated real-time energy feedback	Control		Improve	Medium	Medium

robustness and standardisation. It is important therefore to contribute to explanations of underlying causal mechanisms to try and account for some of the uncertainty (Horner et al., 2016; Borenstein et al., 2009). We define and account for four key sources of methodological uncertainty. These are internal validity and robustness; external validity and generalisability; type of emissions related outcome; and analytical method. Internal validity and robustness compares strength of study design for making robust inferences about the magnitude of emissions-related outcomes. It is a known 'effect modifier' and cause of heterogeneity in outcomes, particularly observable across studies in the homes domain (Ivanova et al., 2020). Meta-analysis performed on low quality primary studies also have a tendency to overestimate an intervention (Moher et al., 1998). External validity and generalisability compares the wider applicability of the results. This measure considers self-selection bias, sample size, heterogeneity, and whether field trials or natural experiments have been conducted. Ivanova, Barrett (Ivanova et al., 2020) consider internal and external validity to be a cause of heterogeneity in mitigation potential. Sample size is also negatively correlated with effect size (Composto et al., 2022).

Studies also vary in the type of emissions-related outcome. Changes in activity levels (behaviour) measure the amount of activity or useful service/energy service consumed by a DCI, e.g., annual vehicle miles travelled, kilograms of avoided food. Changes in energy measure the amount of energy or resources needed to provide a useful service e.g., well-to-wheel energy consumption. Changes in carbon measure the amount of greenhouse gas emissions (CO₂ or CO₂-equivalent greenhouse gases) e.g., lifecycle CO₂ emissions per passenger-kilometre. Analytical method relates to key design decisions made by the researcher distinguishing between for example, empirical approaches (collection of observed data through field trials or natural experiments) and simulation approaches (a digital parameterised model of a real-world system) (see Appendix A Table A2. Taxonomy of study design characteristics influencing the measurement of energy consumption and emissions).

1.3. The aim of this study

The impact of DCIs on emissions is likely to vary based on characteristic differences and subject to wide ranging influences currently not captured in synthesis studies. The main aim of this study is to disentangle these influences to enable generalisation of the magnitude of impacts. We do this by focusing on the underlying causal mechanism of the impact unique to digitalisation. Our findings will help explain uncertainties previously attributed to study design variation.

2. Materials and methods

2.1. The data

We use data taken from two key publications. Both are synthesis studies containing multiple estimates of the emissions-related outcomes of DCIs. These are.

- *Potential Climate Benefits of Digital Consumer Innovations* (N = 120 estimates) (Wilson et al., 2020)
- *Demand, Services and Social Aspects of Mitigation*, the contribution of Working Group III to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change (IPCC) (N = 15 estimates)

Study 1, Wilson, Kerr (Wilson et al., 2020) is a directed review of 215 studies assessing the potential emissions benefit of DCIs across transport, food and homes. The studies included measure one of three outcomes: activity levels, energy use, CO₂ emissions (or CO₂equivalent). At least six papers for every DCI were included in the study.

Study 2, Creutzig, Devine-Wright (Creutzig et al., 2022a) is a review of 90 studies assessing the digital service opportunities for transport, nutrition, shelter, and education and entertainment. Studies measure

the same three outcomes (activity levels, energy use, CO₂ emissions (or CO₂equivalent). Findings are incorporated in the Sixth Assessment Report of the IPCC, and subject to a rigorous two-stage review process.

Across these studies we extract 135 impact estimates for 22 different DCIs (see Table 4).

2.2. Data preparation

From each study we extract quantitative estimates of the emissions-related outcomes of DCIs. All estimates measure percent change (%Δ) from the adoption or use of a DCI compared to a baseline measurement or reference point of no adoption/use. The outcome estimate relates to one of three types: (i) change in activity (%Δ activity (n = 24)); (ii) change in energy (%Δ energy (n = 54)); (iii) change in CO₂ emissions (or CO₂equivalent) (%Δ emissions (n = 57)), collectively referred to as "emissions-related outcomes".

Where studies include multiple point estimates across a range of values, we calculate the midpoint as a representation of the mean (Walter et al., 2007). Around a third of studies contain multiple estimates due to different outcome metrics (energy; emissions), differing assumptions (e.g., 1 worker household, 2 or more worker household), or a variant on the innovation type (e.g., ride sharing in a conventional vehicle or an electric vehicle). For completeness we include multiple estimates from these studies and treat them as independent. Although there is some risk of covariance (due to methodological similarity), it is not possible to treat the data as multi-level, because not all studies provide multiple estimates (Rabe-Hesketh et al., 2008).

To operationalise study design characteristics, each study included in the meta-analysis is reviewed by two coders independently and sub-jectively. Relevant information is extracted according to a pre-prepared coding framework, and the four study design characteristics coded according to these criteria. This is then re-appraised by a second

Table 4

Number of studies and number of estimates of emissions-related outcomes for each DCI.

Domain of Application	Digital Consumer Innovation	Impact mechanism	(n) Estimates (n studies)
Transport	Car clubs (car-sharing in US)	Access	11 (7)
	Ride-sharing (carpooling in US, lift sharing in UK)	Coordinate	5 (5)
	Shared taxis (shared ride hailing, taxi-buses)	Coordinate	8 (8)
	Mobility-as-a-Service (MaaS)	Access	1 (1)
	E-bikes	Substitute	4 (4)
	Fully autonomous vehicles	Optimise	9 (6)
	Neighbourhood Electric Vehicles (NEVs)	Substitute	2 (2)
	Bike-sharing	Access	4 (4)
	Telecommuting	Virtualise	13 (7)
	Videoconferencing and virtual meetings	Virtualise	10 (8)
	Digital hubs for local food	Substitute	5 (3)
	Meal kits (or meal boxes)	Control	10 (4)
	11th hour apps	Coordinate	2 (2)
	Food pairing apps	Coordinate	1 (1)
Food	Food gamification apps (e.g., for waste reduction)	Substitute	5 (5)
	Smart heating systems	Control	5 (3)
	Smart lighting	Control	5 (3)
	Home energy management systems	Control	17 (11)
	Heat pumps	Control	5 (3)
	Pre-fabricated whole home retrofits	Substitute	2 (2)
	P2P (peer-to-peer) exchange of goods	Coordinate	1 (1)
	Disaggregated real-time energy feedback	Control	10 (7)
	Total		135 (96)

independent coder. For methodological approach we initially identified seven categories with empirical methods subdivided according to natural experiment, field trial or demonstration project. These are subsequently aggregated due to small sample sizes. (see [Appendix A Table A3](#). Estimates of (n) of emissions-related-outcomes across impact mechanisms and deployment context).

2.3. Data analysis

Data analysis is based on meta-analysis techniques ([Borenstein et al., 2009](#)). Meta-analysis is an established framework for synthesis approaches. By combining results of comparable studies we increase the range of DCIs observed, the statistical power, and generalisability of findings, compared to individual studies ([Higgins et al., 2011](#)). The 96 individual studies we use are representative of North America, Asia, Australasia, and Africa. They vary in generalisability, from studies based on a single household ([Khajenasiri et al., 2017](#)) to those based on several million households ([Cai et al., 2019](#)). By using meta-analysis techniques we combine these strengths, to critically evaluate and build on findings, and importantly address questions that are not posed by individual studies.

All statistical tests are based on meta-regression methods and include directional tests of association. Following sensitivity testing we rejected the use of formal meta-analysis software. This requires methodological details, not consistently reported in studies, e.g., measures of variability such as standard deviation and standard error. Using Stata Release 16 ([StataCorp, 2019](#)) we apply three tests:

Test 1 – We test separate bivariate associations between magnitude of impact (emissions-related outcomes) and (1) impact mechanism (2) deployment context (3) study design. We use descriptive statistics. To account for ‘spread’ and ‘outliers’ we use both parametric and non-parametric tests.

Test 2 – As Test 1 but testing directional associations. We use bivariate regression methods, and post-estimation to predict the magnitude of impact of each predictor variable. For each model we also predict explained variance (R^2 /pseudo R^2).

Test 3 – As Test 2 but with the inclusion of controls for study design. We use multivariate regression methods.

3. Results

We find only non-parametric tests are significant, suggesting synthesised approaches that rely on mean values of the emissions-related outcome will not provide reliable estimates. Subsequently we base all three tests on non-parametric meta-regression. Test 1 is a Kruskal-Wallis test ([Field, 2013](#)). This test uses a χ^2 distribution to compare differences between two or more groups. It is non-specific in this respect, and any significant result confirms only that there are differences between at least two categories of the predictor variable. Test 2 is a bivariate quantile regression ([Gould, 1993](#)). This is a non-parametric linear regression approach which predicts median impact values as a linear function of the distribution of the predictor variable. The bivariate quantile regression model takes the following form:

$$y_i = \beta_0^{(p)} + \beta_1^{(p)} x_i + \varepsilon_i^{(p)}$$

Where y = outcome (emissions-related outcomes), β_0 = constant, β_1 = slope on predictor variable x_i , (p) = p th quantile regression model percentile.

Test 3 is a multivariate quantile regression ([Gould, 1993](#)). The multivariate quantile regression model takes the following form:

$$y_i = \beta_0^{(p)} + \beta_1^{(p)} x_i + \beta_2^{(p)} z_i + \varepsilon_i^{(p)}$$

Where y = outcome (emissions-related outcomes), β_0 = constant, x_i , β_1 = slope on predictor variable x_i , β_2 = slope on vector of control variables z_i ,

(p) = p th quantile regression model percentile.

We present results in a series of tables. All tables report % reduction (–) or increase (+) in emissions-related outcomes, highlighting significant differences.

3.1. Results: impact mechanisms and deployment context

DCIs that mitigate GHG emissions through the substitution mechanism have significantly larger impact (estimated reduction of 34%) compared to all other mechanisms (access (15.5%), coordinate (22%), optimise (9%), virtualise (0.6%), and control (20%)) (see [Table 5](#)).

Although food-based DCIs have the largest impact (estimated reduction in emissions-related outcomes of 23.1%), this is not significantly different from homes (16.6%) or transport (11%).

DCIs that enable ‘avoid’ actions have a significantly lower impact (estimated reduction in emissions-related outcomes of 6.1%), compared to those that enable ‘shift’ (estimated reduction of 20%) and ‘improve’ actions (18%). Our findings contradict studies suggesting ‘improve’ actions have the greatest emissions potential ([Maduekwe et al., 2020](#); [Zhang et al., 2022](#); [Arioli et al., 2020](#)).

We also find significant differences between high, medium, and low dependencies on digital skills and accessibility. Innovations that require high levels of digital skills and accessibility e.g., digital hubs for local food have a significantly lower impact (estimated reduction of 14.5%) than those with low dependence e.g., e-bikes (estimated reduction of 70%).

We find no significant differences between DCIs that have high dependence on physical infrastructure e.g., AVs and HEMs (estimated reduction of 18%), those that have medium dependence e.g., meal kits (15%), or low dependence e.g., videoconferencing and virtual meetings

Table 5

Results for Test 1 (χ^2 statistic) and Test 2 (bivariate quantile regression), comparing the magnitude of emissions-related outcomes across impact mechanisms, and deployment context.

Influence on emissions-related outcomes			Results for Test 1	Results for Test 2	
			Metric = Chi ² Statistic	Metric = % reduction (or increase) in emissions- related outcomes	
Impact mechanism		Access	Chi ² (6) =	−15.5	
		Coordinate	16.134	−22.0	
		Substitute	Prob >	−34 ^a	
		Optimise	chi ² =	−9.0	
		Virtualise	0.007 ^b	−0.6	
Deployment Context	Domain of Application	Control		−20	
		Transport	Chi ² (2) =	−11	
		Food	5.369	−23.1	
	Type of action	Homes	Prob > chi2 = 0.068	−16.6	
		Avoid	Chi ² (2) =	−6.1 ^a	
		Shift	5.628	−20.0	
		Improve	Prob > chi ² = 0.060	−18	
		Dependence on digital skills and accessibility	High	Chi ² (2) =	−14.5
			Medium	5.145	−13.8
			Low	Prob > chi ² = 0.076	−70.0 ^a
		Dependence on physical infrastructure	High	Chi ² (2) =	−18
			Medium	2.66 Prob	−15.0
Low	> chi ² = 0.875		−17.0		

^a Denotes difference is significant to 99% CI.

^b Denotes significant to 95% CI.

(17%).

3.2. Results: study design characteristics as a secondary influence on emissions-related outcomes

Comparing the results across study design characteristics (see Table 6), these suggest there are significant differences between studies based on variations in the strength of internal validity/robustness and external validity/generalisability. Studies with low internal validity/robustness estimate higher reductions (20.5%) compared to studies with high/medium internal validity/robustness (11.4%). Similarly, studies with low external validity/generalisability estimate higher reductions (21.9%), compared to studies with high external validity/generalisability (8.5%). These findings are consistent with Ivanova, Barrett (Ivanova et al., 2020).

We find no significant differences between type of emissions-related outcomes. Studies that estimate impact as %Δ activities are more likely to estimate higher reductions (20%), compared to those that estimate impact as energy (13.1%) or emissions (16.7%). We find no significant differences between studies based on different analytical methods. Modelling studies (accounting models 13.1% simple estimation models 20%, simulation models 20%) do not estimate higher reductions compared to empirical methods (13.5%).

Our findings in general reflect the difficulty in observing the direct relationship between emissions-related-outcomes and study design which is unlikely to be independent of DCI characteristics. Our data shows for example there is a significant association between type of emissions-related-outcome and domain of application ($\chi^2 = 73.63$, $p < 0.000$) (see Appendix A, Table A4. Association between type of emissions-related outcomes and domain of application).

3.3. Results: impact mechanisms as a primary influence on emissions-related outcomes, controlling for secondary influences of study design

In this final section of results, we examine the impact of DCIs on emissions-related outcomes when we account for the secondary influence of study design. Results are reported in a comparative table, comparing Test 2 (bivariate quantile regression) and Test 3 (multivariate quantile regression controlling for study design characteristics) (see Table 7).

Study design characteristics have a secondary influence on the

Table 6

Results for Test 1 (χ^2 statistic) and Test 2 (bivariate quantile regression), comparing the magnitude of emissions-related outcomes across study design categories.

Study design characteristic	Study design category	Results for Test 1	Results for Test 2
		Metric = χ^2 Statistic	Metric = % reduction (or increase) in emissions-related outcomes
Internal validity/robustness	High/Medium	$\chi^2(2) = 3.974$ Prob >	-11.4
	Low	$\chi^2 = 0.046^a$	-20.5 ^a
	High	$\chi^2(2) = 7.372$ Prob >	-8.5 ^a
External validity/generalisability	Medium	$\chi^2 = 0.025^a$	-11.4
	Low		-21.9
	%Δ activity	$\chi^2(2) = 8.834$ Prob >	-20.0
Emissions-related outcomes	%Δ energy	$\chi^2 = 0.659$	-13.1
	%Δ carbon	$\chi^2(3) = 1.406$ Prob >	-16.7
	Accounting	$\chi^2 = 0.704$	-13.1
Analytical method	Empirical		-13.5
	Simple		-20.0
	Estimation		
	Simulation		-20.0

**denotes difference is significant to 99% CI.

^a Denotes significant to 95% CI.

magnitude and direction of emissions-related outcomes across different impact mechanisms, domain of application, and dependence on digital skills and accessibility. This finding is supported by a general increase in explained variance (pseudo R^2) between Test 2 and Test 3 for all influencing characteristics.

An important finding is that impact mechanisms account for the highest explained variance in emissions-related-outcomes (5.6%) compared to deployment context. Explained variance also increases with the addition of study design controls (8.1%) (see Table 7). This is still modest but does suggest that impact mechanisms are a higher order main effect compared to the four variables measured within deployment context and compared to study design.

Across impact mechanisms evidence remains in support of our overall findings. We find a significant difference in the magnitude of emissions-related outcomes for DCIs that provide functionality thorough 'substitution' compared to all other impact mechanisms. When we control for secondary influences, we capture potential rebound effects (+0.5%) in the measurement of DCIs which 'optimise' (see Fig. 1, Graph 1(a) and 1(b)). We see an increase in the magnitude of emissions-related outcomes of 9.5%.

Our findings show that we can generalise the magnitude of impacts across applications and contexts by focusing on the underlying causal mechanism of the impact unique to DCIs. This helps explain uncertainty which was previously attributed to study design variation for different applications. Controlling for study design variation further strengthens the explanatory power of impact mechanisms.

4. Discussion

Key Finding 1 - DCIs that provide functionality through substitution have high emissions reduction potential. Our findings suggest that DCIs that impact consumption behaviour via 'substitution' could contribute on average a 44.1% reduction in emissions-related outcomes (compared to a baseline of zero). Whilst DCIs that provide functionality through 'optimisation' have attributes which possess substantial consumer appeal, there remains uncertainty regarding the impact of optimisation technologies in the transport domain where efficiencies e.g., in vehicle automation, potentially create induced demand (Rubin, 2016; Moeckel, 2017; Wadud et al., 2016). When we control for study design, DCIs that 'optimise' have a slightly negative impact (0.5% increase in emissions-related outcomes compared to a baseline of zero).

Key Finding 2 - DCIs that avoid high emissions activity have the lowest mitigation potential. This finding (avoid -9.7%, shift -21%, improve -14.9%) aligns with Creutzig, Niamir (Creutzig et al., 2022b) who find 'avoid' has the lowest mitigation potential across buildings, transport, and food end-use sectors. Grubler, Wilson (Grubler et al., 2018) propose that while 'improve' actions have historically been given prominence, avoidance and modal shift actions advance the feasibility of a 'low-carbon supply-side transformation'. The IPCC (2014) presented the A-S-I framework as a hierarchy of actions in which 'avoid' is the first course of action, followed by 'shift' and 'improve' (O'Riordan et al., 2022). Pye, Broad (Pye et al., 2021) suggest that an approach which focuses on 'avoid' and 'shift' is well-aligned with policy goals. In reality, a diversity of strategies is required to achieve ambitious climate targets (Milovanoff et al., 2021).

Key Finding 3 - Characteristic differences between application contexts influence the impact of digital consumer innovations. There is substantial GHG emissions mitigation potential across each of the domains of transport, food, and homes (energy) (Aall et al., 2010; Creutzig et al., 2018; Moberg et al., 2019; Ivanova et al., 2020). Historically, impact-related studies have tended to focus on a single domain, with transport often given higher priority (Perdana et al., 2023; Butler et al., 2020). A smaller number of studies consider impacts across multiple domains (Erdmann et al., 2010). We find that food-related DCIs have potentially the largest impact on emissions-related outcomes (Transport -9.0%, Food -37.0%, Homes -14.3%). In drawing

Table 7

Results for Test 3 (multivariate quantile regression), comparing the magnitude of emissions-related outcomes across impact mechanisms, and deployment context controlling for study design characteristics.

Influence on emissions-related outcomes		Results for Test 2	Results for Test 3	Absolute (%) change magnitude test3-test2
		Estimated % change in impact (emissions-related outcomes)		
		no controls	controls	change
Impact mechanism	Access	−15.5	−20.4	4.9
	Coordinate	−20.0	−17.8	2.2
	Substitute	−34 ^a	−44.1 ^a	10.1
	Optimise	−9.0	0.5	9.5
	Virtualise	−0.6	−6.2	5.6
	Control	−21.34	−20.9	0.5
Explained variance pseudo R ² (%)		5.6	8.1	2.5
Deployment Context	Domain of Application			
	Transport	−11.0	−9.0	2.0
	Food	−23.1	−37.1 ^a	14.0
	Homes	−16.7	−14.3	2.4
	Explained variance pseudo R ² (%)	1.2	5.2	4.0
	Type of action			
	Avoid	−6.1 ^a	−9.7 ^a	3.6
	Shift	−20.0	−20.8	0.8
	Improve	−18.0	−14.6	3.4
Explained variance pseudo R ² (%)		1.7	4.2	2.5
Dependence on digital skills and accessibility	High	−14.5	−14.0	0.51
	Medium	−13.8	−18.5	4.7
	Low	−70.0 ^a	−60.8 ^a	9.2
Explained variance pseudo R ² (%)		0.5	4.1	3.7
Dependence on access to physical infrastructure	High	−18.0	−14.0	4.0
	Medium	−15.0	−18.8	3.8
	Low	−17.0	−15.5	1.5
Explained variance pseudo R ² (%)		0.01	3.1	3.1

* denotes significant to 95% C.I.

^a Denotes significant to 99% C.I.




Fig. 1. Change in emissions-related outcomes across impact mechanisms, comparing between study estimates without additional controls for differences in study design (Graph 1(a)) and with additional controls for differences in study design (Graph 1(b)). Graphs depict median impact (bullet) with standard error bars.

conclusions, we note that the selected food domain DCIs within our study use either the ‘coordination’ mechanism (exchanging with others to minimise food waste e.g., through digital apps) or ‘substitution’ (local foods substituted for imported foods via digital hubs) impact mechanisms, which we find have higher emissions reduction potential (Key Finding 1).

Key Finding 4 - Ensuring good access to digitalisation and physical infrastructure is an enabler of impact but is not a critical determinant of the magnitude of impact. Global digitalisation is steering progress towards increased dependence on digital access and skills, physical infrastructure and complex interdependence across sectors (Thacker et al., 2019). Our study has not been able to disentangle these effects. We find very modest differences across high and medium dependence on digital accessibility and skills, with a large, estimated reduction in emissions with low dependence. We note however, that DCIs classified as having lower dependence on digital access and skills tend to be the same DCIs operating through a ‘substitution’ impact

mechanism which demonstrates a larger emissions-related outcome (Key Finding 1). As digital technology continues to evolve the requirements for additional enabling physical infrastructure, and future reconfigurations to existing infrastructure is widely recognised (Gnann et al., 2018). Van der Vooren (Van der and Vooren, 2014) emphasises the importance of this transition in transport systems. The diffusion of radically new vehicle technologies, for example could be impeded by charging infrastructure deficiencies (Bokolo, 2023).

Key Finding 5: Study design characteristics exert a secondary influence on the magnitude of impact across different studies. In this key finding we concur with Horner, Shehabi (Horner et al., 2016). Differences in impact are highly likely to reflect the subjectivity of decisions made by researchers in the study design process. There are of course inherent challenges to improving consistency in approaches to measuring the indirect effects of different impact mechanisms, which largely rely on the availability and validity of established empirical work. We suggest future work could be improved by encouraging

standardised methodological approaches that enhance consistency in the framing and reporting of methodologies and results. Standardisation of reporting within studies would enable methodological differences across study design to be characterised and measured. Related reporting of uncertainties and errors would enable more advanced meta-analysis software to be reliably employed in future synthesis work. Bremer, Kamiya (Bremer et al., 2023) allude to a critical need to develop and employ robust and consistent methodologies to assess, review and evaluate the energy and climate effects of digitalisation. In this they concur with the International Telecommunications Union (International Telecommunication Union, 2020) whose aim is to improve the consistency, transparency and comprehensiveness of how the use of ICT solutions impacts GHG emissions over time.

4.1. Limitations

We are unable to clearly distinguish between studies that account for rebound effects (Coroama et al., 2012; Kunkel et al., 2021) within their estimates of digital impact. This is an important consideration as it has a potentially large influence (Coroamă et al., 2019; Lange et al., 2023). For example, in a recent study Meshulam, Font-Vivanco (Meshulam et al., 2023) estimate that 50–94% of the expected GHG emission reductions from a free peer-to-peer food sharing platform, is offset by rebound effects. However, across the selected impact studies only a few account for these effects; most studies do not. Rebound effects due to digitalisation are therefore not included as a variable in the study design controls. To understand the relationship between DCIs and energy and resource use more fully, these effects should be integrated into future impact studies.

5. Conclusion

There is a pressing need for intensified engagement and participatory dialogue between industry, companies in the ICT sector, ICT users and other stakeholders, and research communities. These collaborative processes could integrate deeper understanding of the use of innovative digital applications and the potential for climate change mitigation. In this study we contribute to this debate by disentangling the relative importance of different drivers of change in emissions-related outcomes for DCIs. We take a novel approach to test the relative magnitude of different impact mechanisms. Uniquely, we separate and concurrently control for uncertainties across impact estimates related to different study design characteristics. Our analytical framework combined with

quantitative findings offer a more diverse perspective than previous studies and allows more granular consideration of the disparate influence of DCIs on energy use and emissions.

Our work can help to deliver well-defined strategies for decision/policymakers. It can provide clearer focus on which impact mechanisms, mitigation actions, and application domains, offer the greatest reduction potential. Policy can shape digitalisation pathways with consequential influence on energy demand, and GHG emissions (Bergman et al., 2023; Dzwigol et al., 2024; Niamir et al., 2024). Decision makers can build integrated approaches between the dematerialisation strategies of the circular economy and digitalisation to meet the needs of different user groups (Dzwigol et al., 2024; Bento, 2023; Creutzig et al., 2024). Policy can direct digitalisation strategies towards meeting wider sustainability goals, promoting clean energy sources, investment in digital infrastructure, and the provision of state-of-the-art sustainable systems (Bento, 2023; Falchetta et al.). To minimise the inherent risks of climate overshoot, there is also a need for policy development to counter the potential for rebound/demand induction associated with certain impact mechanisms.

CRediT authorship contribution statement

Hazel Pettifor: Methodology, Formal analysis. **Maureen Agnew:** Formal analysis. **Charlie Wilson:** Supervision, Funding acquisition, Conceptualization. **Leila Niamir:** Data curation.

Declaration of competing interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Acknowledgements

H.P. acknowledges funding support from Horizon Europe grant #101081604 for the PRISMA project. M.A. acknowledges funding support from the EDITS network (Energy Demand Changes Induced by Technological and Social Innovations) coordinated by the Research Institute of Innovative Technology for the Earth (RITE) and the International Institute for Applied Systems Analysis (IIASA) and funded by the Ministry of Economy, Trade and Industry (METI), Japan. C.W. acknowledges funding support from European Research Council grant #101003083 for the iDODDLE project.

Appendix A. Additional Tables

Table A1
Structural dependencies influencing the effectiveness of impact mechanisms

Structural dependency	Strength	Definition	Examples
Digital skills and accessibility	High	Use necessitates skills and access to digital infrastructure e.g., a platform with real-time matching of users and providers.	Shared taxis
	Medium	Use requires some skills and access to digital infrastructure, e.g., control apps and scheduling	Smart lighting
Physical Infrastructure	Low	Use is possible without skills and access to digital infrastructure, e.g., an app to allow scheduled charging.	E-bikes
	High	Use requires dedicated physical infrastructure e.g., thermostat and in-home wireless network	Smart heating system
	Medium	Use may require dedicated physical infrastructure e.g., distribution warehouse and delivery vehicles.	Digital hubs for local food
	Low	Use does not require dedicated physical infrastructure (additional to publicly available)	P2P exchange of goods

Table A2

Taxonomy of study design characteristics influencing the measurement of energy consumption and emissions.

Characteristic	Metric	Measurement criteria	N (studies)
Internal validity/ robustness	High/Medium	Use of randomised control trial or clearly delineated control groups/pre-test baseline, clear system boundaries, and assumptions, hypothesis testing, testing of alternative explanations includes field trials or demonstration project, which may use controls/pre-test baseline but lacks some clarity in approach.	72
	Low	Single model and scenario, or self-reported behaviour/preferences, absence of methodological detail, coarse assumptions, e.g., 100% household uptake of DCI, or anecdotal evidence	63
External validity/ generalisability	High	Large heterogeneous sample or synthesis of large-sample field trials, testing performed in different conditions, long-time frame	25
	Medium	Real-world conditions, field trial results, but involve small-medium homogenous samples or the potential for opt-in bias. Large heterogeneous sample but account for single condition	35
	Low	Simulation, small sample size e.g., a single-house simulation or single journey type with no time-of-day variation, test performed in controlled conditions, potential opt-in bias	75
Emissions-related outcomes	percent change (%Δ) in activity *	The amount of activity or useful service consumed, e.g., annual vehicle miles travelled (VMT)	25
	percent change (%Δ) in energy *	The amount of energy or resources needed to provide a useful service, e.g., well-to-wheel energy consumption (in GJ)	35
	percent change (%Δ) in carbon *	The amount of greenhouse gas emissions (CO ₂ or CO ₂ -equivalent) e.g., lifecycle CO ₂ emissions per passenger-kilometre	75
Analytical method	Accounting	A linear combination of disaggregated variables in a mathematical model (e.g., lifecycle analysis)	28
	Empirical	The collection of observed data through field trials, natural experiments, and demonstration projects	33
	Simple Estimation	Based on empirical or anecdotal evidence with broad assumptions and uncomplicated accounting	20
	Simulation	A digital parameterised model of a real-world system.	54

*Relative to a without-digitalisation reference case or baseline.

Table A3

Estimates (n) of emissions-related outcomes across impact mechanisms and deployment context

Classification	Mechanism	Estimates (n)
Impact mechanism	Optimise	9
	Control	52
	Substitute	18
	Virtualise	23
	Access	16
	Coordinate	17
Domain of application	Transport	67
	Food	23
	Homes	45
	Avoid	32
Type of action	Shift	57
	Improve	46
	High	100
Dependence on digital access and skills	Medium	27
	Low	8
Dependence on access to physical infrastructure	High	40
	Medium	35
	Low	60

Table A4

Association between type of emissions-related outcomes and domain of application

Domain		%Δ Activity	%Δ Carbon	%Δ Energy	Total
Food	n	9	9	5	23
	%	39.13%	39.13%	21.74%	100%
Homes	n	1	4	40	45
	%	2.22%	8.89%	88.89%	100%
Transport	n	14	44	9	67
	%	20.9	65.67	13.43	100
All Domains	N	24	57	54	135
	%	17.78	42.22	40	100

There are underlying similarities between the choice of emissions-related outcomes by researchers in specific domains. Eighty nine percent of the 45 studies measuring the impact of DCIs in the homes domain were estimated as %Δ energy. In transport, 66% of the 67 studies were estimated as %Δ carbon. Studies in the food domain are more balanced across the three different outcome measures.

Appendix B. Additional Graphs




Fig. B1. Change in emissions-related outcomes across domains of provision, comparing between study estimates without additional controls for differences in study design (Graph B1(a)) and with additional controls for differences in study design (Graph B1(b)). Graphs depict median impact (bullet) with standard error bars.

DCIs in the food domain have a significantly larger influence on emissions-related outcomes (compared to homes and transport) when we control for the secondary influences of study design. The impact of food-related DCIs increases from a 23% reduction in emissions-related outcomes (see Graph B1(a)) to over 37% reduction (see Graph B1(b)). The overall effect is that there are significant differences between food and transport related innovations (Graph B1(b) error bars do not overlap).




Fig. B2. Change in emissions-related outcomes across type of action, comparing between study estimates without additional controls for differences in study design (Graph B2(a)) and with additional controls for differences in study design (Graph B2(b)). Graphs depict median impact (bullet) with standard error bars.

We find no significant change in emissions-related outcomes across A-S-I actions. When we control for differences in study design the magnitude of studies measuring digital innovations that ‘avoid actions increase by 3.6%. DCIs that ‘improve’ energy and emission efficiency reduce by 3.4%.

We find very modest change in outcomes across high, medium, and low dependence on digital skills and accessibility when we control for study design, but change remains insignificant. This implies that while ensuring good access to skills is an enabler it is not a critical determinant of the magnitude of impact. Changes in outcomes across high, medium, and low dependence on physical infrastructure are also not statistically significant.

Data availability

Data will be made available on request.

References

- Aall, C., Hille, J., 2010. Consumption—a missing dimension in climate policy. *Interdisciplinarity and Climate Change* 85.
- Arioli, M.S., et al., 2020. The evolution of city-scale GHG emissions inventory methods: a systematic review. *Environ. Impact Assess. Rev.* 80, 106316.
- Bento, N., 2023. The potential of digital convergence and sharing of consumer goods to improve living conditions and reduce emissions. *Environ. Res. Lett.* 18 (12), 124014.
- Bergman, N., Foxon, T.J., 2023. Drivers and effects of digitalization on energy demand in low-carbon scenarios. *Clim. Pol.* 23 (3), 329–342.
- Berkhout, F., Hertin, J., 2004. De-materialising and re-materialising: digital technologies and the environment. *Futures* 36 (8), 903–920.
- Bieser, J.C., et al., 2023. A review of assessments of the greenhouse gas footprint and abatement potential of information and communication technology. *Environ. Impact Assess. Rev.* 99, 107033.
- Bokolo, A.J., 2023. Examining the adoption of sustainable eMobility-sharing in smart communities: diffusion of innovation theory perspective. *Smart Cities* 6 (4), 2057–2080.
- Borenstein, M.J., et al., 2009. *Introduction to Meta-Analysis*. J Wiley & Sons Ltd, Chichester.
- Bremer, C., et al., 2023. Assessing energy and climate effects of digitalization: methodological challenges and key recommendations. *nDEE Framing Paper Series*.
- Briglaue, W., et al., 2023. The impact of ICT on electricity and energy consumption and resulting CO₂ emissions: a literature review. *International Review of Environmental and Resource Economics* 17 (2–3), 319–361.
- Butler, L., Yigitcanlar, T., Paz, A., 2020. Smart urban mobility innovations: a comprehensive review and evaluation. *IEEE Access* 8, 196034–196049.
- Bygstad, B., Hanseth, O., 2019. Transforming Digital Infrastructures through Platformization. Association for Information Systems.
- Cai, H., et al., 2019. Environmental benefits of taxi ride sharing in Beijing. *Energy* 174, 503–508.
- Composto, J.W., Weber, E.U., 2022. Effectiveness of behavioural interventions to reduce household energy demand: a scoping review. *Environ. Res. Lett.* 17 (6), 063005.
- Coroama, V.C., Hilty, L.M., Birtel, M., 2012. Effects of Internet-based multiple-site conferences on greenhouse gas emissions. *Telematics Inf.* 29 (4), 362–374.
- Coroamă, V.C., Mattern, F., 2019. Digital rebound—why digitalization will not redeem us our environmental sins. In: *Proceedings 6th International Conference on ICT for Sustainability*. Lappeenranta. <http://ceur-ws.org>.
- Court, V., Sorrell, S., 2020. Digitalisation of goods: a systematic review of the determinants and magnitude of the impacts on energy consumption. *Environ. Res. Lett.* 15 (4), 043001.
- Creutzig, F., et al., 2015. Transport: a roadblock to climate change mitigation? *Science* 350 (6263), 911–912.

- Creutzig, F., et al., 2018. Towards demand-side solutions for mitigating climate change. *Nat. Clim. Change* 8 (4), 260–263.
- Creutzig, F., et al., 2022a. Demand, services and social aspects of mitigation. In: Skea, J., Shukla, P.R. (Eds.), *Climate Change 2022: Mitigation of Climate Change*. Working Group III Contribution to Sixth Assessment Report of the Intergovernmental Panel on Climate Change (IPCC). Intergovernmental Panel on Climate Change (IPCC), Geneva, Switzerland.
- Creutzig, F., et al., 2022b. Demand-side solutions to climate change mitigation consistent with high levels of well-being. *Nat. Clim. Change* 12 (1), 36–46.
- Creutzig, F., et al., 2023. Designing a virtuous cycle: quality of governance, effective climate change mitigation, and just outcomes support each other. *Global Environ. Change* 82, 102726.
- Creutzig, F., et al., 2024. Towards a public policy of cities and human settlements in the 21st century. *npj Urban Sustainability* 4 (1), 29.
- Dzwigol, H., et al., 2024. Digitalization and energy in attaining sustainable development: impact on energy consumption, energy structure, and energy intensity. *Energies* 17 (5), 1213.
- Erdmann, L., Hilty, L.M., 2010. Scenario analysis: exploring the macroeconomic impacts of information and communication technologies on greenhouse gas emissions. *J. Ind. Ecol.* 14 (5), 826–843.
- Field, A., 2013. *Discovering Statistics Using IBM SPSS Statistics*. sage.
- Freitag, C., et al., 2021. The real climate and transformative impact of ICT: a critique of estimates, trends, and regulations. *Patterns* 2 (9).
- Gawron, J.H., et al., 2018. Life cycle assessment of connected and automated vehicles: sensing and computing subsystem and vehicle level effects. *Environ. Sci. Technol.* 52 (5), 3249–3256.
- Gnann, T., et al., 2018. Fast charging infrastructure for electric vehicles: today's situation and future needs. *Transport. Res. Transport Environ.* 62, 314–329.
- Gould, W., 1993. Quantile regression with bootstrapped standard errors. *Stata Technical Bulletin* 2 (9).
- Grübler, A., Nakićenović, N., Victor, D.G., 1999. Dynamics of energy technologies and global change. *Energy Pol.* 27 (5), 247–280.
- Grubler, A., et al., 2018. A low energy demand scenario for meeting the 1.5 C target and sustainable development goals without negative emission technologies. *Nat. Energy* 3 (6), 515–527.
- Hanseth, O., Lyytinen, K., 2010. Design theory for dynamic complexity in information infrastructures: the case of building internet. *J. Inf. Technol.* 25, 1–19.
- Higgins, J., Green, S., 2011. *Cochrane Handbook for Systematic Reviews of Interventions Version 5.1.0*. The Cochrane Collaboration.
- Hilty, L.M., et al., 2006. Rebound effects of progress in information technology. *Poiesis Praxis* 4 (1), 19–38.
- Horner, N.C., Shehabi, A., Azevedo, L.L., 2016. Known unknowns: indirect energy effects of information and communication technology. *Environ. Res. Lett.* 11 (10), 103001.
- Hustad, E., Olsen, D.H., 2021. Creating a sustainable digital infrastructure: the role of service-oriented architecture. *Procedia Comput. Sci.* 181, 597–604.
- Iacobucci, R., Bruno, R., Schmöcker, J.-D., 2021. An integrated optimisation-simulation framework for scalable smart charging and relocation of shared autonomous electric vehicles. *Energies* 14 (12), 3633.
- Ivanova, D., et al., 2020. Quantifying the potential for climate change mitigation of consumption options. *Environ. Res. Lett.* 15 (9), 093001.
- International Telecommunication Union, 2020. *Digital skills insights*. Available from: <https://academy.itu.int/sites/default/files/media2/file/Digital%20Skills%20Insights%202020.pdf>.
- Joglekar, N., et al., 2022. Configuration of digital and physical infrastructure platforms: private and public perspectives. *Prod. Oper. Manag.* 31 (12), 4515–4528.
- Jones, E.C., Leibowicz, B.D., 2019. Contributions of shared autonomous vehicles to climate change mitigation. *Transport. Res. Transport Environ.* 72, 279–298.
- Khajenasiri, I., et al., 2017. A review on Internet of Things solutions for intelligent energy control in buildings for smart city applications. *Energy Proc.* 111, 770–779.
- Kunkel, S., Tyfield, D., 2021. Digitalisation, sustainable industrialisation and digital rebound—Asking the right questions for a strategic research agenda. *Energy Res. Social Sci.* 82, 102295.
- Lange, S., Pohl, J., Santarius, T., 2020. Digitalization and energy consumption, 2020. Does ICT reduce energy demand? *Ecol. Econ.* 176, 106760.
- Lange, S., et al., 2023. The induction effect: why the rebound effect is only half the story of technology's failure to achieve sustainability. *Frontiers in Sustainability* 4, 1178089.
- Li, S., et al., 2022. Measuring the efficiency of energy and carbon emissions: a review of definitions, models, and input-output variables. *Energies* 15 (3), 962.
- Maduekwe, M., Akpan, U., Isihak, S., 2020. Road transport energy consumption and vehicular emissions in Lagos, Nigeria: an application of the LEAP model. *Transp. Res. Interdiscip. Perspect.* 6, 100172.
- Meshulam, T., et al., 2023. Sharing economy rebound: the case of peer-to-peer sharing of food waste. *J. Ind. Ecol.* 27 (3), 882–895.
- Milovanoff, A., et al., 2021. Greenhouse gas emission mitigation pathways for urban passenger land transport under ambitious climate targets. *Environ. Sci. Technol.* 55 (12), 8236–8246.
- Moberg, K.R., et al., 2019. Mobility, food and housing: responsibility, individual consumption and demand-side policies in European deep decarbonisation pathways. *Energy Efficiency* 12, 497–519.
- Moockel, R., 2017. Working from home: modeling the impact of telework on transportation and land use. *Transport. Res. Procedia* 26, 207–214.
- Moher, D., et al., 1998. Does quality of reports of randomised trials affect estimates of intervention efficacy reported in meta-analyses? *Lancet* 352 (9128), 609–613.
- Niamir, L., et al., 2024. *Cities Transformation*.
- O'Riordan, V., et al., 2022. How and why we travel—mobility demand and emissions from passenger transport. *Transport. Res. Transport Environ.* 104, 103195.
- Perdana, S., et al., 2023. Expert perceptions of game-changing innovations towards net zero. *Energy Strategy Rev.* 45, 101022.
- Pohl, J., Hilty, L.M., Finkbeiner, M., 2019. How LCA contributes to the environmental assessment of higher order effects of ICT application: a review of different approaches. *J. Clean. Prod.* 219, 698–712.
- Pye, S., et al., 2021. Modelling net-zero emissions energy systems requires a change in approach. *Clim. Pol.* 21 (2), 222–231.
- Rabe-Hesketh, S., Skrondal, A., 2008. *Multilevel and Longitudinal Modeling Using Stata*. STATA press.
- Rattle, R., 2010. Computing Our Way to Paradise?: the Role of Internet and Communication Technologies in Sustainable Consumption and Globalization. Rowman & Littlefield.
- Rubin, J., 2016. Connected autonomous vehicles: travel behavior and energy use. *Road Vehicle Automation* 3, 151–162.
- Sochor, J., Karlsson, L.M., Strömberg, H., 2016. Trying out mobility as a service: experiences from a field trial and implications for understanding demand. *Transport. Res. Rec.* 2542 (1), 57–64.
- Sørensen, C., 2013. Digital platform and-infrastructure innovation. In: Higashikuni, H. (Ed.), *Mobile Strategy Challenges*. Nikkan Kogyo Shimbun Ltd, Tokyo (In Japanese).
- Sorrell, S., 2020. Digitalisation of goods: a systematic review of the determinants and magnitude of the impacts on energy consumption. *Environ. Res. Lett.* 15 (4), 043001.
- StataCorp, 2019. *Stata Statistical Software: Release 16*.
- Taiebat, M., et al., 2018. A review on energy, environmental, and sustainability implications of connected and automated vehicles. *Environ. Sci. Technol.* 52 (20), 11449–11465.
- Thacker, S., et al., 2019. Infrastructure for sustainable development. *Nat. Sustain.* 2 (4), 324–331.
- Van der Vooren, A., 2014. *Accelerating technological change. Towards a More Sustainable Transport System*. Utrecht University.
- Wadud, Z., MacKenzie, D., Leiby, P., 2016. Help or hindrance? The travel, energy and carbon impacts of highly automated vehicles. *Transport. Res. Pol. Pract.* 86, 1–18.
- Walter, S., Yao, X., 2007. Effect sizes can be calculated for studies reporting ranges for outcome variables in systematic reviews. *J. Clin. Epidemiol.* 60 (8), 849–852.
- Wilson, C., et al., 2019. The potential contribution of disruptive low-carbon innovations to 1.5 C climate mitigation. *Energy Efficiency* 12 (2), 423–440.
- Wilson, C., et al., 2020. Potential climate benefits of digital consumer innovations. *Annu. Rev. Environ. Resour.* 45, 113–144.
- Zhang, J., et al., 2021. Digital consumption innovation, socio-economic factors and low-carbon consumption: empirical analysis based on China. *Technol. Soc.* 67 (May), 101730, 101730.
- Zhang, R., Hanaoka, T., 2022. Cross-cutting scenarios and strategies for designing decarbonization pathways in the transport sector toward carbon neutrality. *Nat. Commun.* 13 (1), 3629.